Segment Software Version Description

WEBBr Data Segment (WEBBrDATA)
Version 1.0.0.0 (HP-UX 10.20)

December 5, 1997

Table of Contents

Preface

The following conventions are used in this document:

Bold	Used for information that is typed, pressed, or selected in executables and instructions. For example, select **connect to host**.
Italics	Used for file names, directories, scripts, commands, user IDs, document names, and Bibliography references; and any unusual computerese the first time it is used in text.
<u>Underline</u>	Used for emphasis.
Arrows <>	Used to identify keys on the keyboard. For example <Return>.
"Quotation Marks"	Used to identify informal, computer-generated queries and reports, or coined names; and to clarify a term when it appears for the first time. For example "Data-Generation Report."
`Courier Font`	Used to denote anything as it appears on the screen or command lines. For example `tar xvf dev/rmt/3mn`.
Capitalization	Used to identify keys, screen icons, screen buttons, field, and menu names.

1. Software Version Description

1.1 Scope

This Software Version Description (SVD) contains a description of the WEBBr (Netscape Web Browser) Data Segment for the Defense Information Infrastructure (DII) HP-based machines.

1.1.1 Identification

This section contains identification information for the WEBBrDATA segment:

Segment Name:	WEBBr Data Segment (WEBBrDATA)
Segment Type:	SOFTWARE
Prefix:	WBRDAT
Home Directory:	/h/WEBBrDATA
Required License:	None
Version Number:	1.0.0.0
Platform:	HP (UNIX) Workstation/HP-UNIX 10.20

1.1.2 System Overview

Purpose: This release of the WEBBr Data Segment contains a skeleton preference file which allows site system administrators to define default preferences for Netscape Web Browser/Netscape Communicator users.

Usage: This release of the WEBBr Data Segment contains a skeleton preference file which may be used by a site system administrator to define default preferences for Netscape Web Browser/Netscape Communicator users.

References: Reference documentation: For more information regarding Netscape Communicator preference parameters and values, system administrators should go to the following web site location:

```
http://devedge.netscape.com/library/documentation
/deploymt/jsprefs.htm#User_Preferences
```

or, refer to the "Quick Reference - WEBBr Data Segment (WEBBrDATA) Netscape Communicator Preferences" document which accompanies this release of the WEBBr Data Segment.

1.1.3   Product Information

Product Qualification

The products contained in this segment have been approved for site distribution by the DII Engineering Office.

Product Restrictions

This product may be distributed to any site holding a Netscape Communicator license from the Netscape Communications Corporation.

Product Dependencies

The Netscape Web Browser (WEBBr) version 4.0.0.0 segment must be installed prior to the installation of the WEBBr Data segment (WEBBrDATA).

2.   Referenced Documents

The following documents are referenced in this SVD:

·   "Installation Procedures - WEBBr Data Segment (WEBBrDATA)" delivered with the WEBBrDATA segment, version 1.0.0.0.

·   "Quick Reference - WEBBr Data Segment (WEBBrDATA) Netscape Communicator Preferences"

3.   Version Description

3.1   Inventory of materials released

Magnetic media: Two 4mm tapes each consisting of a tar of the WEBBr Data Segment (WEBBrDATA) segment, version 1.0.0.0 (HP-UNIX 10.20) for DII.

Diskettes: One 3.5 floppy diskette containing delivery documentation for the WEBBrDATA segment.

3.2   Inventory of Software Contents

(see Appendix A).

3.3   Changes Installed

N/A

3.4   Waivers

The following documents have been officially waived by the DII COE Engineering Office for the WEBBr Data Segment (WEBBrDATA) segment, version 1.0.0.0:

·   "Database Design Documentation - WEBBr Data Segment (WEBBrDATA)" - *Justification*: Segment is not a database segment.

·   "Software Requirements Specification - WEBBr Data Segment (WEBBrDATA)" - *Justification*: Segment is a data segment.

·   "Software Test Plan - WEBBr Data Segment (WEBBrDATA)" - *Justification*: Segment is data segment and provides no user-based software capabilities.

·   "Software Test Description - WEBBr Data Segment (WEBBrDATA)" - *Justification*: Segment is data segment and provides no user-based software capabilities.

·   "Software Test Report - WEBBr Data Segment (WEBBrDATA)" - *Justification*: Segment is data segment and provides no user-based software capabilities.

·   "Programmer's Manual - WEBBr Data Segment (WEBBrDATA)" - *Justification*: Segment is data segment and provides no user-based software capabilities.

- "Systems Administrator's Manual - WEBBr Data Segment (WEBBrDATA)" - *Justification*: Segment is a data segment and provides no user- or system-based software capabilities.

- "API Reference Manual - WEBBr Data Segment (WEBBrDATA)" - *Justification* Segment is a data segment and provides no user- or system-based software capabilities (segment does not provide any public or COE APIs).

- "User's Manual - WEBBr Data Segment (WEBBrDATA)" - *Justification*: Segment is a data segment; provides minimal end-user functionality.

3.5   Adaptation Data

N/A.

3.6   Installation Instructions

Reference the "Installation Procedures - WEBBr Data Segment (WEBBrDATA)" delivered with the WEBBrDATA segment, version 1.0.0.0. *Note: The Netscape Web Browser (WEBBr) (version 4.0.0.0) segment must be installed prior to the installation of the WEBBr Data segment (WEBBrDATA).*

3.7   Possible Problems and Known Errors

None.

4.   Notes

None.

Appendix A

Software Listing for WEBBr Data Segment (WEBBrDATA), version 1.0.0.0

$PATH: /h/WEBBrDATA
$DIRS
SegDescrip
data
install_utilities
cfg
Integ

$PATH: /h/WEBBrDATA/SegDescrip
$FILES
DEINSTALL
FileAttribs
PostInstall
PostInstall_ update_skel.prefs
ReleaseNotes
SegInfo
SegName
VERSION

$PATH: /h/WEBBrDATA/data
$FILES
new_skel.preferences.js

$PATH: /h/WEBBrDATA/install_utilities
$FILES
OS_fnxns.ksh
getDNSdomain

$PATH: /h/WEBBrDATA/cfg
$FILES
DOMAIN

$PATH: /h/WEBBrDATA/Integ
$FILES
IntegNotes
VSOutput